

WMK Krakow STUO

Raport Miesieczny

Raport miesieczny
Luty 2023

Jedn.	ANALIZATOR : gaz 11% O2								Proces			
	Select Analyzer	HCL	SO2	CO30m	NOX	HF	COT	Pyl	O2 Sec	Temperature	T2S	PIEC
		mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	%	degreC	degreC	hh:mm:ss
PrA3g 2		10	50	50	200	1	10	10				
PrA3g 1		60	200	100	400	4	20	30				
01/02/2023	0	0.37	19.88	2.19	39.00	0.08	0.24	0.17	10.39	161.05	892.0	24:00:00
02/02/2023	0	0.32	15.84	2.11	32.15	0.06	0.24	0.52	10.88	140.87	878.5	16:15:00
03/02/2023	0	0.74	17.77	2.23	47.06	0.03	0.25	0.24	10.42	161.10	895.2	22:31:30
04/02/2023	0	0.80	25.00	2.26	37.97	0.07	0.25	0.19	10.45	161.37	891.2	24:00:00
05/02/2023	0	0.68	27.29	2.21	64.61	0.05	0.25	0.17	10.30	160.84	892.1	24:00:00
06/02/2023	0	0.82	27.55	2.17	56.68	0.06	0.24	0.35	10.51	150.34	883.9	19:15:50
07/02/2023	0	0.77	23.88	2.20	78.35	0.05	0.24	0.20	10.15	159.71	897.8	24:00:00
08/02/2023	0	0.57	29.14	2.20	59.31	0.04	0.24	0.26	10.25	159.32	898.4	23:27:10
09/02/2023	0	0.65	27.29	2.18	76.89	0.04	0.23	0.19	10.18	160.28	899.5	24:00:00
10/02/2023	0	0.52	26.01	2.28	59.67	0.08	0.23	0.16	10.27	160.68	897.1	24:00:00
11/02/2023	0	0.74	26.22	2.26	49.02	0.12	0.24	0.18	10.35	160.66	896.8	24:00:00
12/02/2023	0	0.68	29.24	2.20	48.94	0.11	0.25	0.18	10.35	160.43	887.0	24:00:00
13/02/2023	0	0.49	28.67	2.16	58.26	0.12	0.23	0.93	10.42	154.86	885.5	20:08:50
14/02/2023	0	0.62	28.34	2.17	60.18	0.12	0.23	0.31	10.46	159.09	878.0	20:45:20
15/02/2023	0	0.74	30.07	2.20	88.03	0.11	0.25	0.20	10.31	162.68	886.8	24:00:00
16/02/2023	0	0.85	29.75	2.25	60.81	0.14	0.26	0.14	10.42	162.73	888.0	24:00:00
17/02/2023	0	0.63	28.63	2.23	92.51	0.02	0.24	0.67	10.54	151.40	891.5	18:53:10
18/02/2023	0	0.67	31.64	2.22	78.38	0.02	0.25	0.62	10.71	144.85	884.9	15:11:40
19/02/2023	0	0.68	29.98	2.20	83.87	0.01	0.25	0.22	10.20	165.08	896.1	24:00:00
20/02/2023	0	0.73	24.55	2.29	71.75	0.01	0.26	0.16	10.30	163.60	891.7	24:00:00
21/02/2023	0	0.65	20.32	2.27	54.09	0.02	0.25	0.17	10.39	164.17	897.2	23:20:00
22/02/2023	0	0.90	18.14	2.37	44.18	0.05	0.24	0.34	10.31	163.95	900.2	24:00:00
23/02/2023	0	0.88	24.98	2.52	50.55	0.11	0.20	0.17	10.30	164.03	902.0	23:59:50
24/02/2023	0	0.93	23.75	2.41	52.06	0.09	0.24	0.16	10.43	165.18	898.3	24:00:00
25/02/2023	0	0.53	16.34	2.34	42.55	0.09	0.24	0.14	10.47	164.78	900.6	24:00:00
26/02/2023	0	0.82	27.04	2.25	49.23	0.05	0.24	0.13	10.44	163.40	890.9	24:00:00
27/02/2023	0	0.72	20.73	2.19	80.11	0.10	0.25	0.14	10.25	164.21	892.2	24:00:00
28/02/2023	0	0.63	22.06	2.23	72.40	0.09	0.24	0.12	10.27	163.92	890.8	24:00:00
Min	0	0.32	15.84	2.11	32.15	0.01	0.20	0.12	10.15	140.87	878.0	26d 11:48:20
Max	0	0.93	31.64	2.52	92.51	0.14	0.26	0.93	10.88	165.18	902.0	
Sr.	0	0.68	25.00	2.24	60.31	0.07	0.24	0.27	10.38	159.81	892.3	
PrA3g 2	0	0	0	0	0	0	0	0				
PrA3g 1		00:00	00:00	00:00	00:00	00:00	00:00	00:00				