

WMK Krakow STUO

Raport Miesieczny

Raport miesieczny Wrzesień 2025

Jedn.	ANALIZATOR : gaz 11% O2										Proces			
	Select Analyzer	HCL	SO2	CO30m	NOX	HF	COT	Pyl	NH3	Hg	O2 Sec	Temperatur	T2S	PIEC
		mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	mg/Nm3	ug/Nm3	%	degreC	degreC	hh:mm:ss
PrA3g 2		8	40	50	180	1	10	5		20				
PrA3g 1		60	200	100	400	4	20	30						
01/09/2025	0	1.58	27.99	6.34	22.42	0.24	0.58	2.12	35.65	3.97	11.30	163.05	878.2	24:00:00
02/09/2025	0	3.44	27.92	5.92	22.24	0.24	0.58	2.09	37.41	3.02	11.21	166.76	874.4	24:00:00
03/09/2025	0	3.41	24.45	10.83	25.19	0.24	0.61	2.69	30.90	3.20	11.74	160.64	872.3	18:31:30
04/09/2025	0	1.44	27.91	5.89	21.78	0.23	0.57	2.35	32.83	3.43	11.03	165.53	874.1	24:00:00
05/09/2025	0	2.03	27.53	5.00	21.07	0.23	0.57	3.29	34.56	3.60	11.44	161.71	877.2	19:26:20
06/09/2025	0	1.27	23.91	15.19	21.03	0.23	0.56	2.12	28.65	3.46	11.23	159.80	877.9	21:47:30
07/09/2025	0	2.97	27.51	14.24	20.62	0.23	0.55	1.96	34.73	3.10	10.84	165.58	871.4	24:00:00
08/09/2025	0	3.73	27.56	2.46	20.42	0.23	0.56	1.99	33.84	4.56	10.87	166.62	872.1	24:00:00
09/09/2025	0	2.11	27.14	3.27	20.27	0.23	0.56	2.54	33.71	2.95	11.40	159.35	874.5	17:09:00
10/09/2025	0	1.16	27.37	1.61	20.07	0.23	0.55	1.96	28.21	3.22	10.81	163.53	876.5	24:00:00
11/09/2025	0	1.60	17.66	4.74	28.84	0.23	0.55	2.56	24.61	2.90	11.41	159.46	874.8	18:25:30
12/09/2025	0	1.44	21.66	12.24	21.45	0.24	0.66	2.65	15.09	4.11	11.34	160.65	882.2	20:04:50
13/09/2025	0	2.71	27.12	15.43	19.39	0.26	0.56	2.20	18.44	3.10	10.86	165.01	886.8	23:59:00
14/09/2025	0	2.68	21.48	12.54	22.88	0.25	0.55	2.59	12.30	2.85	11.13	161.22	901.2	20:40:10
15/09/2025	0	3.52	27.19	4.92	19.33	0.23	0.54	2.09	18.24	4.62	10.79	164.62	881.6	24:00:00
16/09/2025	0	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	13.77	14.68	125.34	PIEC O	00:01:00
17/09/2025	0	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	2.92	13.97	57.70	PIEC O	00:00:00
18/09/2025	0	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	2.88	13.81	42.67	PIEC O	00:00:00
19/09/2025	0	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	2.92	13.82	42.05	PIEC O	00:00:00
20/09/2025	0	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	3.51	13.67	46.69	PIEC O	00:00:00
21/09/2025	0	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	PIEC O	2.72	13.20	77.69	PIEC O	00:00:00
22/09/2025	0	0.84	0.00	9.20	41.52	0.21	0.51	3.62	1.84	2.64	12.39	133.34	860.0	02:36:40
23/09/2025	0	1.12	18.69	8.27	32.68	0.22	0.53	2.95	8.90	3.47	11.61	152.75	869.2	17:21:00
24/09/2025	0	0.82	21.54	2.97	23.11	0.22	0.54	2.46	30.33	3.82	10.85	161.78	891.3	21:25:40
25/09/2025	0	0.85	24.01	2.15	22.96	0.22	0.54	1.94	32.21	2.94	11.42	159.02	889.7	14:40:10
26/09/2025	0	1.27	22.75	0.30	39.82	0.21	0.51	1.60	8.36	2.44	12.23	151.06	883.4	01:30:30
27/09/2025	0	1.24	22.54	41.14	55.83	0.22	0.52	3.21	0.85	2.47	12.43	149.86	889.6	00:46:10
28/09/2025	0	0.90	28.23	18.63	25.14	0.22	0.54	2.06	26.22	2.79	10.70	163.07	897.8	23:17:20
29/09/2025	0	0.86	24.79	15.66	23.01	0.23	0.54	1.85	33.94	3.95	10.55	168.61	909.3	23:27:30
30/09/2025	0	1.10	25.79	15.09	23.98	0.23	0.56	1.87	36.28	3.35	10.63	169.32	911.9	24:00:00
Min	0	0.82	0.00	0.30	19.33	0.21	0.51	1.60	0.85	2.44	10.55	42.05	860.0	19d 01:09:50
Max	0	3.73	28.23	41.14	55.83	0.26	0.66	3.62	37.41	13.77	14.68	169.32	911.9	
Sr.	0	1.84	23.86	9.75	25.63	0.23	0.56	2.37	24.92	3.62	11.78	141.48	882.4	
PrA3g 2	0	0	0	0	0	0	0	0		0				
PrA3g 1		00:00	00:00	00:00	00:00	00:00	00:00	00:00						